

# PmaControl

Aurélien LEQUOY · 2026

- MARIADB
- MYSQL
- REPLICATION
- MASTER-SLAVE
- MONITORING
- PMACONTROL

### MASTER / SLAVE REPLICATION MONITORING

MariaDB / MySQL replication supervised by PmaControl

**HEALTH STRIP — 24H OVERVIEW**

OK Lag >60s Error

**LAG CHART — LAST 5 DAYS (Chart.js)**

lag spike: ALTER TABLE

**ACTIONS**

- START
- STOP
- SKIP ERR
- PARALLEL: 8 workers
- ETA: 50 min
- GTID delta

## 2026

MariaDB / MySQL

PmaControl

binlog

```
[mysqld]
server-id = 1
log-bin = /var/log/mysql/mysql-bin
binlog-format = ROW
gtid_strict_mode = ON          # MariaDB
# enforce_gtid_consistency = ON # MySQL
# gtid_mode = ON              # MySQL
```

■■■■■

```
CREATE USER 'repl'@'10.0.1.%' IDENTIFIED BY 'secret_replication_password';  
GRANT REPLICATION SLAVE ON *.* TO 'repl'@'10.0.1.%';
```

■■■■■

server-id ■■■■■

```
[mysqld]  
server-id = 2  
relay-log = /var/log/mysql/relay-bin  
read-only = ON  
log-slave-updates = ON
```

log-slave-updates ■■■■■■■■■■■■■■■■■■■ Galera ■■■■■■

■■■

■ **GTID** ■■■

■ MariaDB ■■

```
CHANGE MASTER TO  
  MASTER_HOST = '10.0.1.1',  
  MASTER_USER = 'repl',  
  MASTER_PASSWORD = 'secret_replication_password',  
  MASTER_USE_GTID = slave_pos;  
  
START SLAVE;
```

■ MySQL 8.0+ ■■

```
CHANGE REPLICATION SOURCE TO  
  SOURCE_HOST = '10.0.1.1',  
  SOURCE_USER = 'repl',  
  SOURCE_PASSWORD = 'secret_replication_password',  
  SOURCE_AUTO_POSITION = 1;  
  
START REPLICA;
```

## GTID

GTID binlog

```
--  
SHOW MASTER STATUS;  
-- File: mysql-bin.000042, Position: 154  
  
--  
CHANGE MASTER TO  
  MASTER_HOST = '10.0.1.1',  
  MASTER_USER = 'repl',  
  MASTER_PASSWORD = 'secret_replication_password',  
  MASTER_LOG_FILE = 'mysql-bin.000042',  
  MASTER_LOG_POS = 154;  
  
START SLAVE;
```

```
SHOW SLAVE STATUS\G
```

```
Slave_IO_Running: Yes  
Slave_SQL_Running: Yes  
Seconds_Behind_Master: 0
```

```
Slave_IO_Running No Slave_SQL_Running No SQL
```

## PmaControl

### Web

1. ->
2. IP3306 SSH MySQL
3. PmaControl

### REST API

```
# 创建
curl -X POST -H "Authorization: Bearer $TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"ip": "10.0.1.1", "port": 3306, "name": "db-prod-master", "ssh_key_id": 1}' \
  https://pmacontrol.example.com/api/v1/servers

# 创建
curl -X POST -H "Authorization: Bearer $TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"ip": "10.0.1.2", "port": 3306, "name": "db-prod-slave-01", "ssh_key_id": 1}' \
  https://pmacontrol.example.com/api/v1/servers
```

PmaControl 创建 "Slave" 实例

## PmaControl 创建

创建

`/lang/slave/show/{id}/{name}/`

[/en/slave/show/42/db-prod-slave-01/](#)

Slave.php 创建

- `show()` 创建
- `showGraphDay()` AJAX 创建

创建

PmaControl 显示 SLAVE STATUS 创建

键	值
Slave_IO_Running	IO 创建
Slave_SQL_Running	SQL 创建
Seconds_Behind_Master	创建
Using_Gtid	创建 GTID 创建 MariaDB
Auto_Position	GTID 创建 MySQL



24

## PmaControl

PmaControl

### START / STOP SLAVE

STOP SLAVE

- ALTER TABLE
- 
- binlog

SQL PmaControl

```
SET GLOBAL sql_slave_skip_counter = 1;
START SLAVE;
```

PmaControl

PmaControl

- 
- 50 CPU x 2

```
STOP SLAVE;
SET GLOBAL slave_parallel_workers = 8;
START SLAVE;
```

LOGICAL\_CLOCK MariaDB WRITESSET MySQL 8.0+

PmaControl ETA

1. 3600
2. 3000 10
3. 60

```

3600 3000 10
= 600 / 10 = 60
ETA = 3000 / 60 = 50

```

ETA PmaControl "ETA: "——

## GTID

PmaControl GTID

- **MariaDB** SHOW SLAVE STATUS Using\_Gtid No\_Slave\_Pos Current\_Pos
- **MySQL** SHOW SLAVE STATUS Auto\_Position 0

GTID PmaControl

- GTID Slave\_Pos Executed\_Gtid\_Set
- GTID
- 

GTID Seconds\_Behind\_Master

### 1. GTID

Binlog + GTID

### 2. read\_only

```

SET GLOBAL read_only = ON;
SET GLOBAL super_read_only = ON; -- MySQL 5.7.8+ / MariaDB 10.3.16+

```

read\_only

### 3.

```
Slave_IO_Running: Yes Slave_SQL_Running: Yes [redacted]"[redacted]"[redacted] 2 [redacted]PmaControl [redacted]
```

#### 4. [redacted]

[redacted] PmaControl [redacted]

- [redacted] 60 [redacted] 5 [redacted]
- [redacted] 300 [redacted] IO/SQL [redacted]

[redacted] Telegram [redacted]

#### 5. [redacted]

```
ALTER TABLE [redacted] online schema change [redacted] gh-ost [redacted] DDL [redacted] PmaControl [redacted]
```

[redacted]

---

MariaDB / MySQL [redacted] PmaControl [redacted]"[redacted]"[redacted]"[redacted]"[redacted]

- [redacted] 5 [redacted]
- [redacted]/[redacted]
- [redacted]ETA[redacted]
- [redacted] GTID [redacted]
- [redacted] Telegram [redacted]

[redacted] DBA——[redacted]